

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2941350	(download\$3 or upload\$3 or transfer\$4 or forward\$4 or send\$3 or sent or receiv\$3)	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:29
L2	160206	(download\$3 or upload\$3 or transfer\$4 or forward\$4 or send\$3 or sent or receiv\$3) near2 (servlet or plug\$3 or module or code or instruction or instruction or template)	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:32
L3	4807	2 near4 server	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:30
L4	125837	(mobile or portable or cell or cellular or wireless or pervasive) adj1 (unit or device or terminal or phone or telephone or pda or handheld)	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:32
L5	128977	3 or 4	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:32
L6	228	3 same 4	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:32
L7	228	2 same 6	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:32
L8	161191	(download\$3 or upload\$3 or transfer\$4 or forward\$4 or send\$3 or sent or receiv\$3) near2 (servlet or plug\$3 or module or code or instruction or instruction or template or applet)	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:32
L9	57725	pda or handheld	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:33
L10	2088	8 near2 client	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:33
L11	1329	10 same server	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:33
L12	64	10 same server and @pd<"19990728"	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:33
L13	64	10 same server and @pd<"19990729"	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:36
L14	94	upload\$3 near2 (servlet or plug\$3 or module or code or instruction or template or applet) near2 server	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:37
L15	2	upload\$3 near2 (servlet or plug\$3 or module or code or instruction or template or applet) near2 server and @pd<"19990729"	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:38

L16	7	upload\$3 near2 (servlet or plug\$3 or module or code or instruction or template or applet) same server and @pd<"19990729"	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:40
L17	14329	(authenticat\$5 or verif\$6 or confirm\$5) near2 (servlet or plug\$3 or module or code or instruction or applet)	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:41
L18	1042	17 same client	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:41
L19	47	18 and @pd<"19990709"	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:51
L20	2603	((sign\$3 or mark\$3) near2 (servlet or plug\$3 or module or code or instruction or applet or template)) with key	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:52
L21	1	14 and 20	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:53
L22	2520	1 and 20	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:54
L26	7	709/203,217,218,219,225,226, 229,245.ccls. and (upload\$3 near2 (servlet or plug\$3 or module or code or script or instruction or template or applet)) and @pd<"19990729"	US-PGPUB; USPAT	OR	OFF	2005/03/10 16:58
L27	27	(upload\$3 near2 (servlet or plug\$3 or module or code or script or instruction or template or applet)). ab.	US-PGPUB; USPAT	OR	OFF	2005/03/10 17:00
L28	0	20 and 27	US-PGPUB; USPAT	OR	OFF	2005/03/10 17:00
L29	3	17 and 27	US-PGPUB; USPAT	OR	OFF	2005/03/10 17:00

S1	48	("6065046" "6192415" "6122657" "6141010" "6064977" "5778368" "6311221" "5877765" "6091409" "6212546" "6212546" "6038597" "6173317" "6421726" "5956483" "6119165" "5867651" "5973696" "6314451" "6317761" "6088737" "5745681" "6092178" "6311278" "6324582" "6175869" "6131095" "6332158" "6226669" "6226669" "5848415" "5764235" "6167441" "5961590" "6401103" "6047126" "6078956" "5835712" "6131067" "6182065" "6209029" "5801679" "6246758" "5999944" "5999971" "6088698" "6092196" "6092120" "6112240" "6125402").pn.	USPAT	OR	OFF	2004/04/21 15:47
S2	1	"6018619".pn.	USPAT	OR	OFF	2002/08/20 16:11
S3	1	"6117188".pn.	USPAT	OR	OFF	2002/08/20 16:12
S4	1	"6138155".pn.	USPAT	OR	OFF	2002/08/20 17:04
S5	1	"6006260".pn.	USPAT	OR	OFF	2002/08/22 10:00
S6	523	709/225.ccls.	USPAT	OR	OFF	2002/08/26 11:45
S7	532	709/226.ccls.	USPAT	OR	OFF	2002/08/26 11:46
S8	692	709/229.ccls.	USPAT	OR	OFF	2002/08/26 11:46
S9	1086	709/217.ccls.	USPAT	OR	OFF	2002/08/26 11:46
S10	112	(709/225.ccls. or 709/226.ccls. or 709/229.ccls. or 709/217.ccls.) and (CGI or script or agent or applet or java).ab.	USPAT	OR	OFF	2002/08/20 16:29
S11	27	(709/225.ccls. or 709/226.ccls. or 709/229.ccls. or 709/217.ccls.) and (CGI or script or agent or applet or java)".ab.and" @pd<"19990729"	USPAT	OR	OFF	2002/08/20 16:29
S12	1	"5870544".pn.	USPAT	OR	OFF	2002/08/22 16:37
S13	1	"5586260".PN.	USPAT	OR	OFF	2002/08/22 14:55
S14	1	"5657390".PN.	USPAT	OR	OFF	2002/08/22 14:58
S15	1	"5727145".PN.	USPAT	OR	OFF	2002/08/22 15:03
S16	1	"5742768".PN.	USPAT	OR	OFF	2002/08/22 15:03
S17	1	"5774670".PN.	USPAT	OR	OFF	2002/08/22 15:07
S18	1	"5774670".PN.	USPAT	OR	OFF	2002/08/22 15:09
S19	1	"5742768".PN.	USPAT	OR	OFF	2002/08/22 15:10
S20	1	upload near2 (applet or plug?in or servlet)	USPAT	OR	OFF	2002/08/22 16:42
S21	1	"5847957".pn.	USPAT	OR	OFF	2002/08/22 18:23

S22	5	delete near2 (applet or servlet)	USPAT	OR	OFF	2002/08/22 18:25
S23	1	delete adj (applet or servlet)	USPAT	OR	OFF	2002/08/22 18:26
S24	1	(delete or remove) adj (applet or servlet)	USPAT	OR	OFF	2002/08/22 18:26
S25	27	authenticat\$3 near2 (code adj module or applet or servlet)	USPAT	OR	OFF	2002/08/23 09:58
S26	4	authenticat\$3 near2 (servlet)	USPAT	OR	OFF	2002/08/23 10:42
S27	1	authenticat\$3 adj (servlet)	USPAT	OR	OFF	2002/08/23 10:43
S28	114	(sign\$3 near2 (servlet\$1 or applet\$1 or plug-in\$1) "with" adj key) and @pd<"19990729"	USPAT	OR	OFF	2002/08/23 11:05
S29	336	709/203.ccls. and @pd<"19990729"	USPAT	OR	OFF	2002/08/26 11:44
S30	171	709/225.ccls. and @pd<"19990729"	USPAT	OR	OFF	2002/08/26 11:46
S31	196	709/226.ccls. and @pd<"19990729"	USPAT	OR	OFF	2002/08/26 11:46
S32	213	709/229.ccls. and @pd<"19990729"	USPAT	OR	OFF	2002/08/26 11:46
S33	260	709/217.ccls. and @pd<"19990729"	USPAT	OR	OFF	2002/08/26 11:47
S34	58	client near ((upload\$3) or (up adj load\$3) adj (module or servlet or applet))	USPAT	OR	OFF	2003/01/29 17:23
S35	1	"6489980".pn.	USPAT	OR	OFF	2003/01/29 17:23
S36	58	client near ((upload\$3) or (up adj load\$3) adj (module or servlet))	USPAT	OR	OFF	2003/01/31 12:29
S37	6	client near ((upload\$3) or (up adj load\$3) adj (module or servlet)). ab.	USPAT	OR	OFF	2003/01/31 11:29
S38	31	client near ((upload\$3) or (up adj load\$3) adj (module or servlet)) and (delet\$3 (module or servlet) near server)	USPAT	OR	OFF	2003/01/31 12:31
S39	372	709/203.ccls. and @pd<"19990729" (upload\$3 near2 (servlet or applet or script or agent))	USPAT	OR	OFF	2003/02/05 09:27
S40	1	709/203.ccls. and @pd<"19990729" and (upload\$3 near2 (servlet or applet or script or agent))	USPAT	OR	OFF	2003/02/05 09:28
S41	1	709/217.ccls. and @pd<"19990729" and (upload\$3 near2 (servlet or applet or script or agent))	USPAT	OR	OFF	2003/02/05 09:28

S42	0	709/225.ccls. and @pd<"19990729" and (upload\$3 near2 (servlet or applet or script or agent))	USPAT	OR	OFF	2003/02/05 09:29
S43	0	709/226.ccls. and @pd<"19990729" and (upload\$3 near2 (servlet or applet or script or agent))	USPAT	OR	OFF	2003/02/05 09:29
S44	0	709/229.ccls. and @pd<"19990729" and (upload\$3 near2 (servlet or applet or script or agent))	USPAT	OR	OFF	2003/02/05 09:29
S45	37	((upload\$3 near2 (servlet or applet or script or agent)))	USPAT	OR	OFF	2003/02/05 09:29
S46	6	((upload\$3 near2 (servlet or applet or script or agent))) same client	USPAT	OR	OFF	2003/09/03 15:55
S47	1	"5944781".pn.	USPAT	OR	OFF	2003/02/05 09:38
S48	1	"6412008".pn.	USPAT	OR	OFF	2003/02/05 09:38
S49	472852	client or user	USPAT	OR	OFF	2003/08/21 07:59
S50	2777	(client or user) same send\$3 adj request	USPAT	OR	OFF	2003/08/21 08:02
S51	158	((client or user) same send\$3 adj request) same web adj server	USPAT	OR	OFF	2003/08/21 07:59
S52	0	((client or user) same send\$3 adj request) same web adj server) same code adj module	USPAT	OR	OFF	2003/08/21 08:00
S53	3	((client or user) same send\$3 adj request) same web adj server) and code adj module	USPAT	OR	OFF	2003/08/21 08:00
S54	18912	request with address\$2	USPAT	OR	OFF	2003/08/21 08:02
S55	3203	(client or user) same (request with address\$2)	USPAT	OR	OFF	2003/08/21 08:02
S56	158	((client or user) same (request with address\$2)) same web adj server	USPAT	OR	OFF	2003/08/21 08:02
S57	0	((client or user) same (request with address\$2)) same web adj server) same code adj module	USPAT	OR	OFF	2003/08/21 08:03
S58	1	((client or user) same (request with address\$2)) same web adj server) and code adj module	USPAT	OR	OFF	2003/08/21 08:05
S59	2133	request with address adj1 module or applet or servlet	USPAT	OR	OFF	2003/08/21 08:06
S60	1498	(client or user) same (request with address adj1 module or applet or servlet)	USPAT	OR	OFF	2003/08/21 08:06

S61	339	((client or user) same (request with address adj1 module or applet or servlet)) same web adj server	USPAT	OR	OFF	2003/08/21 08:08
S62	4	extend\$3 near web adj server	USPAT	OR	OFF	2003/09/08 08:30
S63	657	upload\$3 same applet or servlet or script same web adj server	USPAT	OR	OFF	2003/09/03 13:05
S64	291	(upload\$3 same applet or servlet or script same web adj server) same client	USPAT	OR	OFF	2003/09/03 13:18
S65	79	publish\$3 adj server	USPAT	OR	OFF	2003/09/03 13:18
S66	4	(publish\$3 adj server) same web adj server	USPAT	OR	OFF	2003/09/03 13:21
S67	29	(publish\$3 adj server) and web adj server	USPAT	OR	OFF	2003/09/03 13:26
S68	1938	client same web adj server	USPAT	OR	OFF	2003/09/03 13:26
S69	4	(client same web adj server) same publish\$3 adj server	USPAT	OR	OFF	2003/09/03 13:27
S70	1	((client same web adj server) same publish\$3 adj server) same request	USPAT	OR	OFF	2003/09/03 13:28
S71	1594	code adj module\$1	USPAT	OR	OFF	2003/09/03 13:57
S72	0	(code adj module\$1) same publish\$3 adj server	USPAT	OR	OFF	2003/09/03 14:01
S73	1	(code adj module\$1) and publish\$3 adj server	USPAT	OR	OFF	2003/09/03 14:03
S74	4157	web adj server	USPAT	OR	OFF	2003/09/03 14:03
S75	1247	extend\$2 adj capabilit\$3	USPAT	OR	OFF	2003/09/03 14:03
S76	11	(web adj server) same (extend\$2 adj capabilit\$3)	USPAT	OR	OFF	2003/09/03 14:03
S77	10	(upload\$3 and (servlet or applet or script or agent or module) and (server or host)).ab.	USPAT	OR	OFF	2003/09/04 10:56
S78	10	(upload\$ and (servlet or applet or script or agent or module) and (server or host)).ab.	USPAT	OR	OFF	2003/09/04 08:28
S79	0	(upload\$ and (servlet or applet or script or agent or module) and (server or host)).ab. and (extend\$ adj capabilit\$3 near (server or host))	USPAT	OR	OFF	2003/09/04 08:30
S80	0	(upload\$ and (servlet or applet or script or agent or module) and (server or host)).ab. and (extend\$ adj capabilit\$3 same (server))	USPAT	OR	OFF	2003/09/04 08:30

S81	0	(upload\$ and (servlet or applet or script or agent or module) and (server or host)).ab. and extend\$ adj capabilit\$3 same web adj server	USPAT	OR	OFF	2003/09/04 08:31
S82	0	(upload\$ and (servlet or applet or script or agent or module) and (server or host)).ab. same extend\$ adj capabilit\$3 same web adj server	USPAT	OR	OFF	2003/09/04 08:31
S83	0	(upload\$ and (servlet or applet or script or agent or module) and (server or host)) same extend\$ adj capabilit\$3 same web adj server	USPAT	OR	OFF	2003/09/04 08:31
S84	2	extend\$ adj capabilit\$3 adj web adj server	USPAT	OR	OFF	2003/09/04 08:32
S85	0	extend\$ adj capabilit\$3 adj web adj server.ab.	USPAT	OR	OFF	2003/09/04 08:32
S86	17420	request with address	USPAT	OR	OFF	2003/09/04 08:35
S87	1772	(request with address) same (applet or servlet or script or module or agent)	USPAT	OR	OFF	2003/09/04 08:36
S88	128841	((request with address) same (applet or servlet or script or module or agent)) same server or host	USPAT	OR	OFF	2003/09/04 08:36
S89	226	((request with address) same (applet or servlet or script or module or agent)) same server	USPAT	OR	OFF	2003/09/04 08:39
S90	1090	(script or applet or module or agent or servlet) adj address	USPAT	OR	OFF	2003/09/04 08:39
S91	1231	(script or applet or module or agent or servlet) adj address	USPAT	OR	OFF	2003/09/04 08:42
S92	212	((script or applet or module or agent or servlet) adj address) same request	USPAT	OR	OFF	2003/09/04 08:40
S93	9	((script or applet or module or agent or servlet) adj address) same request) same server	USPAT	OR	OFF	2003/09/04 08:40
S94	224962	send\$ or request\$ near (script or applet or module or agent or servlet) adj address	USPAT	OR	OFF	2003/09/04 08:44
S95	2	identify\$ adj request\$2 adj content	USPAT	OR	OFF	2003/09/04 08:47
S96	2	code adj module adj address	USPAT	OR	OFF	2003/09/04 08:47
S97	1231	(applet or script or module or agent or servlet) adj address	USPAT	OR	OFF	2003/09/04 08:48

S98	47	((applet or script or module or agent or servlet) adj address).ab.	USPAT	OR	OFF	2003/09/04 08:54
S99	4	((applet or script or module or agent or servlet) adj address and (server or host)).ab.	USPAT	OR	OFF	2003/09/04 09:00
S100	1	"6412008".pn.	USPAT	OR	OFF	2003/09/04 09:00
S101	1	"6119165".pn.	USPAT	OR	OFF	2003/09/04 10:56
S102	69	(request\$3 same ((applet or script or code adj module or agent or servlet) adj address\$2))	USPAT	OR	OFF	2003/09/08 07:48
S103	41	(request\$3 with ((applet or script or code adj module or agent or servlet) adj address\$2))	USPAT	OR	OFF	2003/09/08 07:49
S104	1	(request\$3 and ((applet or script or code adj module or agent or servlet) adj address\$2)).ab.	USPAT	OR	OFF	2003/09/08 07:50
S105	474472	client or user	USPAT	OR	OFF	2003/09/08 07:50
S106	143844	(client or user) same server or host	USPAT	OR	OFF	2003/09/08 07:51
S107	0	((client or user) same server or host) same (applet or servlet or code adj module) adj "addressess"	USPAT	OR	OFF	2003/09/08 07:51
S108	2	((client or user) same server or host) same (applet or servlet or code adj module) adj "addresses"	USPAT	OR	OFF	2003/09/08 07:52
S109	21	unavailab\$ same(applet or servlet or code adj module)	USPAT	OR	OFF	2003/09/08 08:09
S110	0	unavailab\$ adj (applet or servlet or code adj module)	USPAT	OR	OFF	2003/09/08 08:08
S111	569	request\$3 with (applet or servlet or code adj module)	USPAT	OR	OFF	2003/09/08 08:10
S112	105	(request\$3 with (applet or servlet or code adj module)) same web adj server	USPAT	OR	OFF	2003/09/08 08:10
S113	59	((request\$3 with (applet or servlet or code adj module)) same web adj server) same client	USPAT	OR	OFF	2003/09/08 08:10
S114	0	(extend\$3 near web adj server).ab.	USPAT	OR	OFF	2003/09/08 08:31
S115	0	(extend\$3 adj web adj server).ab.	USPAT	OR	OFF	2003/09/08 08:31
S116	0	(extend\$3 adj web adj server).ti.	USPAT	OR	OFF	2003/09/08 08:31

S11 7	57	(web adj server).ti.	USPAT	OR	OFF	2003/09/08 08:51
S11 8	22258	client or user same request\$3 with web adj page	USPAT	OR	OFF	2003/09/08 08:52
S11 9	418	((client or user) same (request\$3 adj (web adj page)))	USPAT	OR	OFF	2003/09/08 08:52
S12 0	342	(((((client or user) same (request\$3 adj (web adj page)))) same server	USPAT	OR	OFF	2003/09/08 08:52
S12 1	1342	(((((client or user) same (request\$3 adj (web adj page)))) same server) same applet or servlet or code adj module	USPAT	OR	OFF	2003/09/08 08:53
S12 2	259	(((((client or user) same (request\$3 adj (web adj page)))) same server) same applet or servlet	USPAT	OR	OFF	2003/09/08 09:28
S12 3	1	"6161107".PN.	USPAT	OR	OFF	2003/09/08 09:01
S12 4	1	"6591305".pn.	USPAT	OR	OFF	2003/09/08 09:28
S12 5	38	("5541955" "5592237" "5630067" "5717854" "5732214" "5737747" "5809239" "5928323" "5928330" "5956716" "5958016" "5983005" "5987454" "5991306" "5996022" "6012098" "6023731" "6023764" "6028605" "6061504" "6065043" "6065059" "6070184" "6073168" "6085252" "6092120" "6094673" "6100906" "6128623" "6138162" "6138163" "6249787" "6249794" "6256620" "6292827" "6330575" "6356283" "6363478").PN.	USPAT	OR	OFF	2003/09/08 09:29
S12 6	1	"6363478".URPN.	USPAT	OR	OFF	2003/09/08 09:29
S12 7	1	"5541955".PN.	USPAT	OR	OFF	2003/09/08 09:29

S12 8	38	("5541955" "5592237" "5630067" "5717854" "5732214" "5737747" "5809239" "5928323" "5928330" "5956716" "5958016" "5983005" "5987454" "5991306" "5996022" "6012098" "6023731" "6023764" "6028605" "6061504" "6065043" "6065059" "6070184" "6073168" "6085252" "6092120" "6094673" "6100906" "6128623" "6138162" "6138163" "6249787" "6249794" "6256620" "6292827" "6330575" "6356283" "6363478").PN.	USPAT	OR	OFF	2003/09/08 09:30
S12 9	332	identify\$3 same (request\$2 adj content)	US-PGPUB; USPAT	OR	OFF	2004/02/27 15:55
S13 0	0	((identify\$3 same (request\$2 adj content)) same (code adj module\$1)	US-PGPUB; USPAT	OR	OFF	2004/02/27 15:53
S13 1	2	((identify\$3 same (request\$2 adj content)) and (code adj module\$1)	US-PGPUB; USPAT	OR	OFF	2004/02/27 15:53
S13 2	30	identify\$3 adj (request\$2 adj content)	US-PGPUB; USPAT	OR	OFF	2004/02/27 15:55
S13 3	0	((identify\$3 adj (request\$2 adj content)) same code adj module\$1	US-PGPUB; USPAT	OR	OFF	2004/02/27 15:56
S13 4	0	((identify\$3 adj (request\$2 adj content)) and code adj module\$1	US-PGPUB; USPAT	OR	OFF	2004/02/27 15:56
S13 5	0	((identify\$3 adj (request\$2 adj content)) and (servlet or applet or CGI or script) adj address\$2	US-PGPUB; USPAT	OR	OFF	2004/02/27 15:57
S13 6	59	(servlet or applet or CGI or script) adj address\$2	US-PGPUB; USPAT	OR	OFF	2004/02/27 15:58
S13 7	1	((servlet or applet or CGI or script) adj address\$2) same web adj server	US-PGPUB; USPAT	OR	OFF	2004/02/27 15:59
S13 8	0	request near2 (code adj module adj address)	US-PGPUB; USPAT	OR	OFF	2004/02/27 16:00
S13 9	3	code adj module adj address	US-PGPUB; USPAT	OR	OFF	2004/02/27 16:06
S14 0	222	publish\$3 adj server	US-PGPUB; USPAT	OR	OFF	2004/02/27 16:06
S14 1	93	((publish\$3 adj server) and web adj server	US-PGPUB; USPAT	OR	OFF	2004/02/27 16:07

S14 2	58	((publish\$3 adj server) and web adj server) and (servlet or applet or script or CGI)	US-PGPUB; USPAT	OR	OFF	2004/02/27 16:07
S14 3	1	"6330710".pn.	USPAT	OR	OFF	2004/03/01 15:50
S14 4	1	"6012098".pn.	USPAT	OR	OFF	2004/03/01 15:50
S14 5	1	"6678518".pn.	USPAT	OR	OFF	2004/03/01 15:51
S14 6	1	"6594700".pn.	USPAT	OR	OFF	2004/03/01 15:51
S14 7	1	"6587879".pn.	USPAT	OR	OFF	2004/03/01 15:52
S14 8	1	"6247044".pn.	USPAT	OR	OFF	2004/03/01 15:52
S14 9	1	"6405241".pn.	USPAT	OR	OFF	2004/03/02 11:02
S15 0	2	servlet adj alias\$3	USPAT	OR	OFF	2004/03/02 11:02
S15 1	1	709/203,217,218,219,225,226, 229.ccls. and servlet adj alias\$3	USPAT	OR	OFF	2004/03/03 17:12
S15 2	135	709/203,217,218,219,225,226, 229.ccls. and code adj module\$1	USPAT	OR	OFF	2004/03/03 17:12
S15 3	5671	709/203,217,218,219,225,226, 229.ccls.	USPAT	OR	OFF	2004/03/03 17:12
S15 4	1154	709/203,217,218,219,225,226, 229.ccls. and servic\$3 near3 request	USPAT	OR	OFF	2004/03/03 17:12
S15 5	47	709/203,217,218,219,225,226, 229.ccls. and servic\$3 near3 request and code adj module\$1	USPAT	OR	OFF	2004/03/03 19:53
S15 6	1	"6012098".pn.	USPAT	OR	OFF	2004/03/03 19:53
S15 7	1	"6247044".pn.	USPAT	OR	OFF	2004/03/03 19:53
S15 8	1	"6405241".pn.	USPAT	OR	OFF	2004/03/03 19:54
S15 9	1	"6330710".pn.	USPAT	OR	OFF	2004/03/03 19:54
S16 0	1	"6594700".pn.	USPAT	OR	OFF	2004/03/03 19:54
S16 1	1	"6678518".pn.	USPAT	OR	OFF	2004/03/03 19:55
S16 2	1	"6587879".pn.	USPAT	OR	OFF	2004/03/03 19:55

S16 3	111	client adj upload\$3	US-PGPUB; USPAT	OR	OFF	2004/04/21 15:53
S16 4	1	client adj upload\$3 adj (servlet or script)	US-PGPUB; USPAT	OR	OFF	2004/04/21 15:48
S16 5	4	client adj upload\$3 same (servlet or script)	US-PGPUB; USPAT	OR	OFF	2004/04/21 15:49
S16 6	1	client adj upload\$3 same (servlet or script)	USPAT	OR	OFF	2004/04/21 15:49
S16 7	5879	client adj upload\$3 same (servlet or script) same server	US-PGPUB; USPAT	OR	OFF	2004/04/21 15:53
S16 8	3	client adj upload\$3 same (servlet or script) same server	US-PGPUB; USPAT	OR	OFF	2004/04/21 15:54
S16 9	6	client adj upload\$3 same (servlet or script or module) same server	US-PGPUB; USPAT	OR	OFF	2004/04/21 15:54
S17 0	1106	709/245.ccls.	US-PGPUB; USPAT	OR	OFF	2004/04/21 15:54
S17 1	0	709/245.ccls. and client adj upload\$3	US-PGPUB; USPAT	OR	OFF	2004/04/21 15:55
S17 2	0	709/245.ccls. and client adj upload\$3	USPAT	OR	OFF	2004/04/21 15:55
S17 3	31	client adj upload\$3	USPAT	OR	OFF	2004/04/21 16:02
S17 4	4	upload\$3 adj (servlet or script)	USPAT	OR	OFF	2004/04/21 16:06
S17 5	20	upload\$3 near2 (servlet or script)	USPAT	OR	OFF	2004/04/21 16:07
S17 6	20	(upload\$3 near2 (servlet or script))	USPAT	OR	OFF	2004/04/21 16:12
S17 7	6	((upload\$3 near2 (servlet or script))) same server	USPAT	OR	OFF	2004/04/21 16:07
S17 8	26	(upload\$3 near3 (servlet or script))	USPAT	OR	OFF	2004/04/21 16:18
S17 9	1	"6115736".PN.	USPAT	OR	OFF	2004/04/21 16:14
S18 0	1	"6163797".PN.	USPAT	OR	OFF	2004/04/21 16:15
S18 1	1	"6167522".PN.	USPAT	OR	OFF	2004/04/21 16:15
S18 2	3	(upload\$3 adj (servlet))	USPAT	OR	OFF	2004/04/21 16:18
S18 3	5	(upload\$3 adj3 (servlet))	USPAT	OR	OFF	2004/04/22 11:38
S18 4	1	"5924116".pn.	USPAT	OR	OFF	2004/04/22 11:41

S18 5	1	"5924116".pn. and servlet	USPAT	OR	OFF	2004/04/22 11:41
S18 6	1	"5924116".pn. and servlet and upload	USPAT	OR	OFF	2004/04/22 11:41
S18 7	832	((code adj module\$1) or servlet\$1 or applet\$1 or plug?in) with key	US-PGPUB; USPAT	OR	OFF	2004/11/01 11:07
S18 8	283	((code adj module\$1) or servlet\$1 or applet\$1 or plug?in) with key) same server	US-PGPUB; USPAT	OR	OFF	2004/11/01 11:07
S18 9	123	((code adj module\$1) or servlet\$1 or applet\$1 or plug?in) with key) same server) same client	US-PGPUB; USPAT	OR	OFF	2004/11/01 11:07
S19 0	9	((code adj module\$1) or servlet\$1 or applet\$1 or plug?in) with key) same server) same client) same API	US-PGPUB; USPAT	OR	OFF	2004/11/01 11:08
S19 1	232	authenticat\$3 near2 ((code adj module\$1) or servlet\$1 or applet\$1 or plug?in\$1)	US-PGPUB; USPAT	OR	OFF	2004/11/01 11:09
S19 2	0	(authenticat\$3 near2 ((code adj module\$1) or servlet\$1 or applet\$1 or plug?in\$1)) same (signed adj key)	US-PGPUB; USPAT	OR	OFF	2004/11/01 11:09
S19 3	33	(authenticat\$3 near2 ((code adj module\$1) or servlet\$1 or applet\$1 or plug?in\$1)) same (key)	US-PGPUB; USPAT	OR	OFF	2004/11/01 11:22
S19 4	623	sign\$3 near2 ((code adj module\$1) or servlet\$1 or applet\$1 or plug?in\$1)	US-PGPUB; USPAT	OR	OFF	2004/11/01 11:24
S19 5	123	(sign\$3 near2 ((code adj module\$1) or servlet\$1 or applet\$1 or plug?in\$1)) same server	US-PGPUB; USPAT	OR	OFF	2004/11/01 11:27
S19 6	15	((sign\$3 near2 ((code adj module\$1) or servlet\$1 or applet\$1 or plug?in\$1)) same server) same key	US-PGPUB; USPAT	OR	OFF	2004/11/01 11:24
S19 7	94	(sign\$3 near2 ((code adj module\$1) or servlet\$1 or applet\$1 or plug?in\$1)) same client	US-PGPUB; USPAT	OR	OFF	2004/11/01 11:27
S19 8	9	((sign\$3 near2 ((code adj module\$1) or servlet\$1 or applet\$1 or plug?in\$1)) same client) same key	US-PGPUB; USPAT	OR	OFF	2004/11/01 11:27
S19 9	36	sign\$3 near2 (code adj module\$1)	US-PGPUB; USPAT	OR	OFF	2004/11/04 12:07

S20 0	9	("5157667" "5339406" "5790777" "6065046" "6163858" "6202199" "6324644" "6367035" "6477667").PN.	USPAT	OR	OFF	2004/11/04 12:05
S20 1	283	publish\$3 adj server	US-PGPUB; USPAT	OR	OFF	2004/11/04 12:07
S20 2	3275	(publish\$3 adj server) and servlet\$1 or (code adj module\$1)	US-PGPUB; USPAT	OR	OFF	2004/11/04 12:07
S20 3	2	(publish\$3 adj server) same (servlet\$1 or (code adj module\$1))	US-PGPUB; USPAT	OR	OFF	2004/11/04 12:09
S20 4	6672	digital adj signature	US-PGPUB; USPAT	OR	OFF	2004/11/04 12:10
S20 5	24	(digital adj signature) same ((code adj module) or servlet\$1)	US-PGPUB; USPAT	OR	OFF	2004/11/04 12:17
S20 6	0	(sign\$3 near2 (code adj module\$1)) and (install\$3 near3 ((code adj module) or servlet\$1))	US-PGPUB; USPAT	OR	OFF	2004/11/04 12:17
S20 7	0	(sign\$3 near2 (code adj module\$1)) same (install\$3 near3 ((code adj module) or servlet\$1))	US-PGPUB; USPAT	OR	OFF	2004/11/04 12:17
S20 8	0	(install\$3 near3 ((code adj module) or servlet\$1)) same digital adj signature	US-PGPUB; USPAT	OR	OFF	2004/11/04 12:18
S20 9	0	(install\$3 near3 ((code adj module) or servlet\$1)) and (digital adj signature)	US-PGPUB; USPAT	OR	OFF	2004/11/04 12:18
S21 0	67	install\$3 near3 ((code adj module) or servlet\$1)	US-PGPUB; USPAT	OR	OFF	2004/11/04 13:45
S21 1	30947	(client or user) same (sign\$3 near3 (code adj module) or servlet or applet or script or agent)	US-PGPUB; USPAT	OR	OFF	2004/11/04 13:46
S21 2	30945	(client or user) same (sign\$3 near2 (code adj module) or servlet or applet or script or agent)	US-PGPUB; USPAT	OR	OFF	2004/11/04 13:46
S21 3	18	((client or user) same (sign\$3 near2 (code adj module) or servlet or applet or script or agent)) same publish\$3 adj server	US-PGPUB; USPAT	OR	OFF	2004/11/04 13:47
S21 4	324	(server or client) same (sign\$3 near (code adj module) or servlet)	USPAT	OR	OFF	2004/11/04 16:38
S21 5	324	(server or client) same (sign\$3 adj (code adj module) or servlet)	USPAT	OR	OFF	2004/11/04 16:38
S21 6	62	(server or client) near (sign\$3 adj (code adj module) or servlet)	USPAT	OR	OFF	2004/11/04 16:45

S21 7	62	((server or client) near (sign\$3 adj (code adj module) or servlet))	USPAT	OR	OFF	2004/11/04 16:41
S21 8	0	authenticat\$3 near ((code adj module) or servlet)	USPAT	OR	OFF	2004/11/04 16:42
S21 9	71	authenticat\$3 same ((code adj module) or servlet)	USPAT	OR	OFF	2004/11/04 16:43
S22 0	18	authenticat\$3 near ((code adj module) or servlet)	USPAT	OR	OFF	2004/11/04 16:43
S22 1	482	(sign\$3 near (code adj module) or servlet)	USPAT	OR	OFF	2004/11/04 16:46
S22 2	4	((sign\$3 near (code adj module) or servlet)) and authenticat\$3 near ((code adj module) or servlet)	USPAT	OR	OFF	2004/11/04 17:31
S22 3	2	713/185,200,201,202.ccls. and authenticat\$3 near ((code adj module) or servlet)	USPAT	OR	OFF	2004/11/04 17:32